AEMTEK, INC.

AIHA EMLAP #167620
ELAP Certificate #2607

Sample Submission Form

For Water Testing

46309 Warm Springs Blvd., Fremont, CA 94539
Phone: 510-979-1979; Fax: 510-668-1980
E-mail: lab@aemtek.com; Web: www.aemtek.com

Aemtek No.: _____

Contact Information				Project/Sampling Information	
Company:		Contact:		Project:	
Address:				Site:	
Phone:		E-mail:		Sampled by:	
Report preference (check one): ☐ 1. E-mail ☐ 2. Mail				Date and Time:	

Sample ID	Sample Description	Sample Volume	Analysis Requested (See the Lab Code Below)	Turn Around Time	Notes

Water samples should be packed cold and delivered as soon as completion of sample collection. **The hold time for total coliforms is 30 hours and HPC is 8 hours for potable water compliance.** To ensure analytical integrity, we reserve the right to reject inappropriately prepared/shipped samples. All analytical services subject to our terms and conditions. Microbiological results are always reported as soon as all tests are completed, even for routine service. Our business hours are 9:00 am - 6:00 pm, PST, Monday - Friday. Contact the lab to arrange weekend or holiday analysis.

Relinquished by	Date & Time	Received by	Date & Time	Received Cold?
				◯ Yes ◯ No

Lab Codes

TDS	Total Dissolved Solids (SM 2540C)
Coliforms - P/A	Total coliforms & *E. coli* - Presence/Absence (SM 9223)
Coliforms - Enumeration	Total coliforms & *E. coli* - quantitative analysis (SM 9223)
HPC	Heterotrophic plate count (SM 9215B)
Enterococci - MF	MF/m - Enterococcus (SM 9230C)
Enterococci - MUG	Idexx MUG method, P/A or enumeration (AB106)
Legionella	*Legionella* enumeration and identification, culture method (SM 9260J or ISO 11731-2)
Pseudomonas	*Pseudomonas* enumeration and identification (AB101)
EBC	Environmental bacteria count and group identification (AB101)
FCS	Culturable fungi enumeration and identification (AF104)

Call 510-979-1979 with your specific analytical needs not listed above.