



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

AEMTEK, INC.
466 Kato Terrace
Fremont, CA 94539
Dr. FeiFei Han Phone: 510-979-1979

BIOLOGICAL

Valid to: December 31, 2026

Certificate Number: 3069.01

In recognition of the successful completion of the A2LA evaluation process (including an assessment of the laboratory's compliance with the A2LA Food Testing Program Requirements, containing the 2018 "AOAC International Guidelines for Laboratories Performing Microbiological and Chemical Analyses of Food, Dietary Supplements, and Pharmaceuticals"), accreditation is granted to this laboratory at the location listed above to perform the following tests on foods, food additives, beverages, feeds, pharmaceutical and nutraceutical products, ingredients in the production of food, in-process samples, environmental samples, and final products:

<u>Title</u>	<u>In-House Test Method</u>	<u>Official Method(s)</u>
<u>ALLERGEN/ELISA</u>		
Gluten	AC 105, AC 114	AOAC RI 061201, AOAC OMA 2012.01
Peanut	AC 113	AOAC RI 112102
<u>ELFA / VIDAS®:</u>		
<i>Listeria</i> species (LPT)	FM 121	AOAC OMA 2013.10
<i>Listeria</i> species & <i>Listeria monocytogenes</i> (LIS / LMO2)	FM 116	AOAC OMA 2004.06, 2004.02
<i>Salmonella</i> (Easy SLM)	FM 117	AOAC OMA 2011.03
<i>Salmonella</i> (SPT)	FM 119	AOAC OMA 2013.01
<u>FDA-BAM:</u>		
Aerobic Plate Count (Pour Plate)	FM114	AOAC OMA 966.23; FDA BAM Ch. 3
<i>Bacillus cereus</i> Plate Count	FM 106	AOAC OMA 980.31; FDA BAM Ch. 14
<i>Salmonella</i>	FM 112	FDA-BAM Ch. 1, 5
Yeast & Mold	FM 113	FDA-BAM Ch. 18

<u>PCR</u>		
<i>Escherichia coli</i> O157:H7	FM 107	AOAC RI 020801
<i>L. monocytogenes</i>	FM 108	AOAC RI 010802
<i>L. monocytogenes</i>	FM 129	AOAC OMA 2019.11
<i>Listeria spp.</i>	FM 126	AOAC RI 061801
<i>Listeria spp.</i>	FM 128	AOAC OMA 2019.10
<i>Salmonella</i>	FM 110	AOAC RI 010803
<i>Salmonella</i>	FM 126	AOAC RI 061801
<i>Salmonella</i>	FM 127	AOAC OMA 2020.02
Shiga Toxin-Producing <i>E. coli</i> (STEC)	FM 122	AOAC RI 121203
dd-Check STEC Solution	WI 908	AOAC RI 012401
<u>Petriefilm™:</u>		
Aerobic Plate Count	FM 101	AOAC OMA 990.12
Coliform / <i>E. coli</i> Count	FM 104	AOAC OMA 991.14
Coliform / <i>E. coli</i> (MPN)	FM 103	AOAC OMA 966.23, 966.24
<i>Enterobacteriaceae</i> Count	FM 125	AOAC OMA 2003.01
Rapid Aerobic Plate Count	FM 101	AOAC OMA 2015.13
Rapid Coliform / <i>E. coli</i> Count	FM 104	AOAC OMA 2018.01
Rapid Yeast & Mold Count	FM 120	AOAC OMA 2014.05
<i>Staphylococcus aureus</i> Count	FM 105	AOAC OMA 2003.07, 2003.08, 2003.11

CHEMICAL

<u>Title</u>	<u>In-House Test Method</u>	<u>Official Method(s)</u>
Crude Protein Analysis	AC 103	AOAC OMA 992.15
Heavy Metals Analysis	AC 104	AOAC OMA 2015.01
Total Fat Analysis	AC 102	AOAC OMA 922.06



Accredited Laboratory

A2LA has accredited

AEMTEK, INC.

Fremont, CA

for technical competence in the field of

Biological Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 *General requirements for the competence of testing and calibration laboratories*. This laboratory also meets the requirements of A2LA R204 – *Specific Requirements – Food and Pharmaceutical Testing Laboratory Accreditation Program*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 26th day of November 2024.

A blue ink signature of Mr. Trace McInturff, written over a horizontal line.

Mr. Trace McInturff, Vice President, Accreditation Services
For the Accreditation Council
Certificate Number 3069.01
Valid to December 31, 2026

For the tests to which this accreditation applies, please refer to the laboratory's Biological Scope of Accreditation.



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

AEMTEK Salinas lab
740 Airport Blvd.
Salinas, CA 93901
Dr. Ethan Huang Phone: 510-979-1979

BIOLOGICAL

Valid To: November 30, 2026

Certificate Number: 3069.04

In recognition of the successful completion of the A2LA evaluation process (including an assessment of the laboratory's compliance with the A2LA Food Testing Program Requirements, containing the 2018 “*AOAC International Guidelines for Laboratories Performing Microbiological and Chemical Analyses of Food, Dietary Supplements, and Pharmaceuticals*”), accreditation is granted to this laboratory to perform the following tests on foods, food additives, beverages, feeds, pharmaceutical and nutraceutical products, ingredients in the production of food, in-process samples, environmental samples, and final products:

<u>Title</u>	<u>In-House Test Method</u>	<u>Official Method(s)</u>
<u>ELFA / VIDAS®:</u>		
<i>Listeria</i> species & <i>Listeria monocytogenes</i> (LIS / LMO2)	FM 116	AOAC OMA 2004.06, 2004.02
<i>Listeria</i> species (LPT)	FM 121	AOAC OMA 2013.10
<i>Salmonella</i> (Easy SLM)	FM 117	AOAC OMA 2011.03
<i>Salmonella</i> (SPT)	FM 119	AOAC OMA 2013.01
<u>FDA-BAM:</u>		
Aerobic Plate Count (Pour Plate)	FM 114	AOAC OMA 966.23; FDA BAM Ch. 3
<i>Bacillus cereus</i> Plate Count	FM 106	AOAC OMA 980.31; FDA BAM Ch. 14
<i>Salmonella</i>	FM 112	FDA BAM Ch. 1, 5
Yeast & Mold	FM 113	FDA BAM Ch. 18
<u>PCR:</u>		
<i>Escherichia coli</i> O157:H7	FM 107	AOAC RI 020801
<i>L. monocytogenes</i>	FM 108	AOAC RI 010802

<u>Title</u>	<u>In-House Test Method</u>	<u>Official Method(s)</u>
<i>Listeria</i> spp.	FM 126	AOAC RI 061801
<i>Salmonella</i>	FM 110	AOAC RI 010803
<i>Salmonella</i>	FM 126	AOAC RI 061801
Shiga Toxin-Producing <i>E. coli</i> (STEC)	FM 122	AOAC RI 121203
<u>Petrifilm®:</u>		
Aerobic Plate Count	FM 101	AOAC OMA 990.12
Coliform / <i>E. coli</i> Count	FM 104	AOAC OMA 991.14
Coliform / <i>E. coli</i> (MPN)	FM 103	AOAC OMA 966.23, 966.24
<i>Enterobacteriaceae</i> Count	FM 125	AOAC OMA 2003.01
Rapid Aerobic Plate Count	FM 101	AOAC OMA 2015.13
Rapid Coliform / <i>E. coli</i> Count	FM 104	AOAC OMA 2018.13
Rapid Yeast & Mold Count	FM 120	AOAC OMA 2014.05
<i>Staphylococcus aureus</i> Count	FM 105	AOAC OMA 2003.07, 2003.08, 2003.11





Accredited Laboratory

A2LA has accredited

AEMTEK SALINAS LAB

Salinas, CA

for technical competence in the field of

Biological Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 *General requirements for the competence of testing and calibration laboratories*. This laboratory also meets the requirements of A2LA R204 – *Specific Requirements – Food and Pharmaceutical Testing Laboratory Accreditation Program*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 18th day of November 2024.

A blue ink signature of Mr. Trace McInturff, written over a horizontal line.

Mr. Trace McInturff, Vice President, Accreditation Services
For the Accreditation Council
Certificate Number 3069.04
Valid to November 30, 2026

For the tests to which this accreditation applies, please refer to the laboratory's Biological Scope of Accreditation.



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

AEMTEK
4345 Spyres Way
Modesto, CA 95356
Dr. FeiFei Han Phone: 510-979-1979

BIOLOGICAL

Valid to: December 31, 2026

Certificate Number: 3069.05

In recognition of the successful completion of the A2LA evaluation process (including an assessment of the laboratory's compliance with the A2LA Food Testing Program Requirements, containing the 2018 “*AOAC International Guidelines for Laboratories Performing Microbiological and Chemical Analyses of Food, Dietary Supplements, and Pharmaceuticals*”), accreditation is granted to this laboratory at the location listed above to perform the following tests on foods, food additives, beverages, feeds, pharmaceutical and nutraceutical products, ingredients in the production of food, in-process samples, environmental samples, and final products:

<u>Title</u>	<u>In-House Test Method</u>	<u>Official Method(s)</u>
<u>ALLERGEN/ELISA</u>		
Gluten	AC 105, AC 114	AOA RI 061201, AOAC OMA 2012.01
Peanut	AC 113	AOAC RI 112102
<u>ELFA / VIDAS®:</u>		
<i>Listeria</i> species & <i>Listeria monocytogenes</i> (LIS / LMO2)	FM 116	AOAC OMA 2004.06, 2004.02
<i>Listeria</i> species (LPT)	FM 121	AOAC OMA 2013.10
<i>Salmonella</i> (Easy SLM)	FM 117	AOAC OMA 2011.03
<i>Salmonella</i> (SPT)	FM 119	AOAC OMA 2013.01
<u>FDA-BAM:</u>		
Aerobic Plate Count (Pour Plate)	FM 114	AOAC OMA 966.23; FDA BAM Ch. 3
<i>Bacillus cereus</i> Plate Count	FM 106	AOAC OMA 980.31; FDA BAM Ch. 14
<i>Salmonella</i>	FM 112	FDA-BAM Ch. 1, 5

Yeast & Mold	FM 113	FDA-BAM Ch. 18
<u>PCR</u>		
<i>Escherichia coli</i> O157:H7	FM 107	AOAC RI 020801
<i>L. monocytogenes</i>	FM 108	AOAC RI 010802
<i>L. monocytogenes</i>	FM 129	AOAC OMA 2019.11
<i>Listeria</i> spp.	FM 126	AOAC RI 061801
<i>Listeria</i> spp.	FM 128	AOAC OMA 2019.10
<i>Salmonella</i>	FM 110	AOAC RI 010803
<i>Salmonella</i>	FM 126	AOAC RI 061801
<i>Salmonella</i>	FM 127	AOAC OMA 2020.02
Shiga Toxin-Producing <i>E. coli</i> (STEC)	FM 122	AOAC RI 121203
<u>Petrifilm™</u>		
Aerobic Plate Count	FM 101	AOAC OMA 990.12
Coliform / <i>E. coli</i> Count	FM 104	AOAC OMA 991.14
Coliform / <i>E. coli</i> (MPN)	FM 103	AOAC OMA 966.23, 966.24
<i>Enterobacteriaceae</i> Count	FM 125	AOAC OMA 2003.01
Rapid Aerobic Plate Count	FM 101	AOAC OMA 2015.13
Rapid Coliform / <i>E. coli</i> Count	FM 104	AOAC OMA 2018.13
Rapid Yeast & Mold Count	FM 120	AOAC OMA 2014.05
<i>Staphylococcus aureus</i> Count	FM 105	AOAC OMA 2003.07, 2003.08, 2003.11



Accredited Laboratory

A2LA has accredited

AEMTEK

Modesto, CA

for technical competence in the field of

Biological Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 *General requirements for the competence of testing and calibration laboratories*. This laboratory also meets the requirements of A2LA R204 – *Specific Requirements – Food and Pharmaceutical Testing Laboratory Accreditation Program*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 10th day of December 2024.

A blue ink signature of Mr. Trace McInturff, written over a horizontal line.

Mr. Trace McInturff, Vice President, Accreditation Services
For the Accreditation Council
Certificate Number 3069.05
Valid to December 31, 2026

For the tests to which this accreditation applies, please refer to the laboratory's Biological Scope of Accreditation.